ELSEVIER

Journal of Magnetism and Magnetic Materials 154 (1996) 391–393

journal of magnetism and magnetic materials

# Author index to volume 154

Alameda, J.M., F. Carmona, F.H. Salas, L.M. Alvarez-Prado, R. Morales and G.T. Pérez, Effects of the initial stages of film growth on the magnetic anisotropy of obliquely-deposited cobalt thin films 249
Alvarez-Prado, L.M., see Alameda, J.M. 249
Andrä, W., see Mattheis, R. 24
Aoyama, H., see Song, Y.J. 37
Ashraf, M.M., see Tattam, C. 328

Ba, Q.-x. and J. Zhi, Study of the magnetic aftereffect in amorphous FeSiBCu alloys 245
Barak, J., see Laulicht, I. (*Letter to the Editor*) L291
Barnaś, J., Indirect exchange coupling between magnetic planes 321
Bartolomé, J., see Piqué, C. 71
Beauvillain, P., C. Chappert, K. Le Dang, R. Mégy, S. Ould Mahfoud and P. Veillet, Effect of substrates on the out-of-plane magnetic anisotropy in Au/Co/Au sandwiches 160
Benaissa, M., see Lefakis, H. 17
Berkov, D.V., see Mattheis, R. 24
Bernhoeft, N.R., see Fåk, B. 339
Bitoh, T., K. Ohba, M. Takamatsu, T. Shirane and S. Chikazawa, Comparative study of linear and nonlinear susceptibilities of fine-particle and spin-glass systems: quantitative analysis based on the superparamagnetic blocking model 59
Bland, J.A.C., see Ives, A.J.R. 301
Borisova, N.M., see Ol'khovik, L.P. 365
Bornfreund, R.E., see Song, Y.J. 37
Bourdarot, F., see Fåk, B. 339
Boutrouille, Ph., see Fåk, B. 339
Bramwell, S.T., see Fåk, B. 339
Burriel, R., see Piqué, C. 71
Buschow, K.H.J., see Schobinger-Papamantellos, P. 29
Buschow, K.H.J., see Tung, L.D. 96

Carmona, F., see Alameda, J.M. 249
Chakrabarti, P.K., see Neogy, D. 127
Chandra, G., see Sharma, N. 296
Chantrell, R.W., see Satoh, A. 183
Chappert, C., see Beauvillain, P. 160
Chattopadhyay, K.N., see Neogy, D. 127
Chikazawa, S., see Bitoh, T. 59
Chiriac, H., see Moldovanu, E. 101
Coutinho-Filho, M.D., see Raposo, E.P. (*Letter to the Editor*) L155
Coverdale, G.N., see Satoh, A. 183
Cumpson, S.R., B.K. Middleton and J.J. Miles, Digital record theory for a thin medium with easy magnetisation direction tilted out of its plane 382
Czycholl, G., see Liu, B.-G. 369

Daimon, M., see Shimokawa, K. 271
d'Albuquerque e Castro, J., see Ferreira, M.S. L1
Danebrock, M.E., see Reehuis, M. 355
DeFotis, G.C., E.W. Harlan, W.R.A. Jarvis, S.A. Terranova, V.J. Pugh, J.L. Marmorino, B.D. Hogg and T.R. Jensen, Magnetic properties of $Fe[S_2CNC_4H_8O]_2X$, X = Cl, Br, I 83
Diaconu, E.D., see Moldovanu, E. 101
Dohnomae, H., see Shimokawa, K. 271
Drillon, M., see Laget, V. L7
Drulis, H., see Suski, W. 207
Duša, O., J. Kováč, M. Konč, T. Švec and V. Kavečanský, Low-temperature magnetization of amorphous and nanocrystalline $Fe_{76.5-x}U_xCu_1Si_{13.5}B_9$ alloys 54

Edwards, D.M., see Ferreira, M.S. L1
Eftimova, K., R. Laiho, K.G. Lisunov and E. Lähderanta, Clusters and lattice disorder in $Co_{0.5}Al_{0.5-i_x}Pd_x$: Influence to low-temperature magnetic properties 193

Fåk, B., C. Vettier, J. Flouquet, F. Bourdarot, S. Raymond, A. Vernière, P. Lejay, Ph. Boutrouille, N.R. Bernhoeft, S.T. Bramwell, R.A. Fisher and N.E. Phillips, Influence of sample quality on the magnetic properties of $URu_2Si_2$ 339
Ferreira, M.S., J. d'Albuquerque e Castro, D.M. Edwards and J. Mathon, Non-RKKY oscillations of exchange coupling in magnetic multilayers L1
Fisenko, O.G., see Ol'khovik, L.P. 365
Fisher, R.A., see Fåk, B. 339
Flouquet, J., see Fåk, B. 339
Franse, J.J.M., see Tung, L.D. 96
Fujimori, H., see Hayakawa, Y. 175

0304-8853/96/$15.00 © 1996 Elsevier Science B.V. All rights reserved

Gautier, F., see Pizzagalli, L. 213
Genkin, G.M. and I.D. Tokman, Quantum tunneling by magnetostatic interaction of fine ferroparticles (clusters) 133
Georgiev, D. and V.V. Nietz, Observation of hysteresis at the spin-flop transition induced by a pulsed magnetic field 119
Göktürk, H. and K. Maki, Evaluation of a magnetic dispersion by interparticle interactions 279
Gregory, C.I., see Laidler, H. 165
Greig, D., see Ives, A.J.R. 301
Gubkin, M.K., T.A. Khimich, E.V. Kleparskaya, T.M. Perekalina and A.V. Zalessky, Magnetic and NMR studies of lanthanum perovskite manganites 351
Gurney, B.A., see Lefakis, H. 17

Harlan, E.W., see DeFotis, G.C. 83
Harris, I.R., see Tattam, C. 328
Hasegawa, N., see Hayakawa, Y. 175
Hay, J.N., see Tattam, C. 328
Hayakawa, Y., N. Hasegawa, A. Makino, S. Mitani and H. Fujimori, Microstructure and magnetoresistance of Fe–Hf–O films with high electrical resistivity 175
Heim, K.R. and M.R. Scheinfein, An alternative approach for magneto-optic calculations involving layered media 141
Hesse, J., see Thamm, S. 254
Hickey, B.J., see Laidler, H. 165
Hoffmann, R.-D., see Reehuis, M. 355
Hogg, B.D., see DeFotis, G.C. 83
Hornick, C., see Laget, V. L7
Humbert, P., see Lefakis, H. 17

Idogaki, T., Y. Miyoshi and J.W. Tucker, An effective field theory for dilute anisotropic Heisenberg ferromagnets 221
Idogaki, T., see Tanaka, A. 231
Ioan, C., see Moldovanu, E. 101
Ivanov, A.O., Phase separation in bidisperse ferrocolloids 66
Ives, A.J.R., J.A.C. Bland, T. Thomson, P.C. Riedi, M.J. Walker, J. Xu and D. Greig, Exchange-coupled MBE-grown Co/Cu/Co(111) trilayers 301

Janssen, T., see Schobinger-Papamantellos, P. 29
Jarvis, W.R.A., see DeFotis, G.C. 83
Jeitschko, W., see Reehuis, M. 355
Jensen, T.R., see DeFotis, G.C. 83
Jiang, J.Z., Mössbauer study of amorphous $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ alloy 375

Kamiyama, S., see Satoh, A. 183
Kamzin, A.S., see Ol'khovik, L.P. 365
Kavečanský, V., see Duša, O. 54
Khimich, T.A., see Gubkin, M.K. 351
Kirby, R.D., see Wierman, K.W. 12
Kleparskaya, E.V., see Gubkin, M.K. 351
Konč, M., see Duša, O. 54
Kováč, J., see Duša, O. 54
Krey, U., see Paintner, A. 107
Kuz'min, M.D., A method of determining the crystal field parameters in rare earth paramagnets by means of torque magnetometry 333

Laget, V., S. Rouba, P. Rabu, C. Hornick and M. Drillon, Long range ferromagnetism in tunable cobalt(II) layered compounds up to 25 Å apart L7
Lähderanta, E., see Eftimova, K. 193
Laidler, H., I. Pape, C.I. Gregory, B.J. Hickey and B.K. Tanner, X-ray and magnetoresistance measurements of annealed Co/Cu multilayers 165
Laiho, R., see Eftimova, K. 193
Laulicht, I., A.V. Pomyalov and J. Barak, Low power induced lineshape asymmetry of new ferromagnetic resonance lines in YIG films (*Letter to the Editor*) L291
Le Dang, K., see Beauvillain, P. 160
Lefakis, H., M. Benaissa, P. Humbert, V.S. Speriosu, J. Werckmann and B.A. Gurney, Structure and magnetism of Ta/Co/Ta sandwiches 17
Lejay, P., see Fåk, B. 339
Lisunov, K.G., see Eftimova, K. 193
Liu, B.-G., F.-C. Pu and G. Czycholl, Effects of next-nearest-neighbor exchange on the magnetic properties of layered antiferromagnets 369

Maki, K., see Göktürk, H. 279
Makino, A., see Hayakawa, Y. 175
Marmorino, J.L., see DeFotis, G.C. 83
Mathon, J., see Ferreira, M.S. L1
Matsuda, H., see Shimokawa, K. 271
Mattheis, R., W. Andrä and D.V. Berkov, Linear defects in GMR multilayers 24
Mégy, R., see Beauvillain, P. 160
Middleton, B.K., see Cumpson, S.R. 382
Miles, J.J., see Cumpson, S.R. 382
Mitani, S., see Hayakawa, Y. 175
Miyoshi, Y., see Idogaki, T. 221
Moldovanu, A., see Moldovanu, E. 101
Moldovanu, E., H. Chiriac, A. Moldovanu, E.D. Diaconu, C. Ioan and G. Pop, Comparative study of open-core fluxgate magnetometric sensors made of Vacoperm 100 and $C_1$ and $C_2$ magnetic amorphous materials 101
Montenegro, F.C., see Raposo, E.P. (*Letter to the Editor*) L155
Morales, R., see Alameda, J.M. 249
Moyo, T., Pressure and temperature variation of coercive field in Fe-rich Fe–Zr amorphous alloys 201
Mukai, T., see Shimokawa, K. 271
Mydlarz, T., see Suski, W. 207

Neogy, D., K.N. Chattopadhyay, P.K. Chakrabarti, H. Sen and B.M. Wanklyn, Magnetic behavior of $Ho^{3+}$ in $HoAl_3(BO_3)_4$ 127
Nietz, V.V., see Georgiev, D. 119
Nigam, A.K., see Sharma, N. 296

Ohba, K., see Bitoh, T. 59
Ol'khovik, L.P., N.M. Borisova, A.S. Kamzin and O.G. Fisenko, Radiothermal synthesis of fine barium ferrite powders and their properties 365
Ould Mahfoud, S., see Beauvillain, P. 160

Pai, S.P., see Sharma, N. 296
Paintner, A., F. Süss and U. Krey, Numerical studies of the magnetism of Fe–Ni–Mn alloys in the Invar region 107
Pape, I., see Laidler, H. 165
Perekalina, T.M., see Gubkin, M.K. 351
Pérez, G.T., see Alameda, J.M. 249
Phillips, N.E., see Fåk, B. 339
Pinto, R., see Sharma, N. 296
Piqué, C., R. Burriel and J. Bartolomé, Spin reorientation phase transitions in $R_2Fe_{14}B$ (R = Y, Nd, Ho, Er, Tm) investigated by heat capacity measurements 71
Pizzagalli, L., D. Stoeffler and F. Gautier, Magnetism of Fe atoms deposited on W(001) and W(110): a theoretical study of the role of the interplanar relaxation 213
Pomyalov, A.V., see Laulicht, I. (*Letter to the Editor*) L291
Pop, G., see Moldovanu, E. 101
Prasad, S., see Sharma, N. 296
Pu, F.-C., see Liu, B.-G. 369
Pugh, V.J., see DeFotis, G.C. 83

Rabu, P., see Laget, V. L7
Raposo, E.P., M.D. Coutinho-Filho and F.C. Montenegro, Influence of frustration on a $d = 3$ diluted antiferromagnet: $Fe_xZn_{1-x}F_2$ (*Letter to the Editor*) L155
Raymond, S., see Fåk, B. 339
Reehuis, M., M.E. Danebrock, J. Rodriguez-Carvajal, W. Jeitschko, N. Stüsser and R.-D. Hoffmann, Antiferromagnetic order of the lanthanoid moments in the carbides $Ln_2ReC_2$ with Ln = Tb, Dy, Ho and Er 355
Richter, H.J., Analytical formulae of switching fields for fanning in a chain of spheres 263
Riedi, P.C., see Ives, A.J.R. 301
Rodriguez-Carvajal, J., see Reehuis, M. 355
Rouba, S., see Laget, V. L7

Salas, F.H., see Alameda, J.M. 249
Satoh, A., R.W. Chantrell, S. Kamiyama and G.N. Coverdale, Potential curves and orientational distributions of magnetic moments of chainlike clusters composed of secondary particles 183
Scheinfein, M.R., see Heim, K.R. 141
Schobinger-Papamantellos, P., T. Janssen and K.H.J. Buschow, The antiphase domain magnetic structure of the $DyGe_3$ compound 29
Sen, H., see Neogy, D. 127
Sharma, N., A.K. Nigam, R. Pinto, N. Venkataramani, S. Prasad, G. Chandra and S.P. Pai, Giant magnetoresistance effect in $La_{0.8}Sr_{0.2}MnO_3$ thin films 296
Shimokawa, K., H. Dohnomae, T. Mukai, H. Yamada, H. Matsuda and M. Daimon, Nanocrystalline garnet disks for magneto-optical recording media 271
Shirane, T., see Bitoh, T. 59
Song, Y.J., G.B. Turpin, R.E. Bornfreund, H. Aoyama and P.E. Wigen, Effects of oxygen vacancies on the magnetic and electrical properties of Ca-substituted yttrium iron garnet 37
Speriosu, V.S., see Lefakis, H. 17
Stoeffler, D., see Pizzagalli, L. 213
Stüsser, N., see Reehuis, M. 355
Suski, W., F.G. Vagizov, K. Wochowski, H. Drulis and T. Mydlarz, Magnetic properties and $^{57}$Fe Mössbauer effect of uranium pseudoternaries with the $ThMn_{12}$-type structure 207
Süss, F., see Paintner, A. 107
Švec, T., see Duša, O. 54

Takamatsu, M., see Bitoh, T. 59
Tanaka, A., J.W. Tucker and T. Idogaki, The susceptibility of anisotropic Heisenberg alternating- and random-bond chains by a density matrix product approximation 231
Tanner, B.K., see Laidler, H. 165
Tattam, C., A.J. Williams, J.N. Hay, I.R. Harris, S.F. Tedstone and M.M. Ashraf, Improvement in the mechanical properties of PTFE bonded Nd–Fe–B magnets by heat treatment 328
Tedstone, S.F., see Tattam, C. 328
Terranova, S.A., see DeFotis, G.C. 83
Thamm, S. and J. Hesse, A simple plot indicating interactions between single-domain particles 254
Thomson, T., see Ives, A.J.R. 301
Thuy, N.P., see Tung, L.D. 96
Tokman, I.D., see Genkin, G.M. 133
Tucker, J.W., see Idogaki, T. 221
Tucker, J.W., see Tanaka, A. 231
Tung, L.D., K.H.J. Buschow, J.J.M. Franse and N.P. Thuy, Magnetic coupling between rare earth moments in some antiferromagnetic Gd compounds 96
Turpin, G.B., see Song, Y.J. 37

Vagizov, F.G., see Suski, W. 207
Veillet, P., see Beauvillain, P. 160
Venkataramani, N., see Sharma, N. 296
Vernière, A., see Fåk, B. 339
Vettier, C., see Fåk, B. 339

Walker, M.J., see Ives, A.J.R. 301
Wanklyn, B.M., see Neogy, D. 127
Werckmann, J., see Lefakis, H. 17
Wierman, K.W. and R.D. Kirby, Long-range order and magnetic properties of $Mn_xPt_{1-x}$ thin films 12
Wigen, P.E., see Song, Y.J. 37
Williams, A.J., see Tattam, C. 328
Wochowski, K., see Suski, W. 207

Xu, J., see Ives, A.J.R. 301

Yamada, H., see Shimokawa, K. 271

Zalessky, A.V., see Gubkin, M.K. 351
Zhi, J., see Ba, Q.-x. 245

ELSEVIER

Journal of Magnetism and Magnetic Materials 154 (1996) 395–396

journal of magnetism and magnetic materials

# Subject index to volume 154

Aftereffect 245
Amorphous systems
– alloys 54, 101, 245, 375
– films 271
– melt-spun 201
– sputtered 201
Anisotropy
– crystal field 29
– energy 71
– in-plane 249
– induced 245
– layered 369
– magnetoelastic 160
– out-of-plane 160
– shape-induced 263
– uniaxial 263
Annealing effect 37, 165
Antiferromagnetic coupling 355
Antiferromagnetic order 29
Antiferromagnets 96
– two-dimensional 369

Chainlike clusters 183
Cluster effect 193
Clusters 213
Coercive force 201
Coercivity 12, 279, 328
Conduction mechanism 37
Conductivity
– ac 279
Core materials 101
Correlation lengths 339
Critical phenomena
– alloys 375
– concentration 201, 221
– field 355
Crystal field
– effect 71
– interactions 127
– parameters 333
Crystal structure 160
Curie temperature 207
– composition dependent 12, 201
Curie–Weiss model 83

Debye temperature 375
Dielectric constant 279
Dilute system 221
Dipolar interaction 66
Dispersion 66
Domain wall 119
– pinning 201
Domains
– antiferromagnetic 119
– antiphase 29
– motion 119

Exchange
– alternating 231
– intersublattice 96
– nearest-neighbour 369
Exchange coupling L1
– biquadratic 301
– interlayer 24, 321
– magnetostrictive 245
– oscillatory 321
Exchange integral 37, 54
Exchange interaction 29, 71, 83
– distance dependent 213
Excitations
– spin wave 375

Faraday effect 141
Faraday rotation 271
Ferrites 365
Ferrocolloids 66
Fine particles 59
Flux-gate sensors 101

Garnets 271
Grain size 271

Haldane gap 231
Heat capacity 71
Heat treatment 328
Heavy fermions 339
Heisenberg antiferromagnet 369
Heisenberg chain 231
Heisenberg ferromagnet 221
Henkel plot 254
Hyperfine fields 375
Hysteresis 279
Hysteresis loops 17, 119, 249

Impurity band 37
Interaction
– antiferromagnetic 83
– interchain 83
– interlayer 83
– interparticle 279
– magnetostatic 133
Interface roughness 165
Interfaces 17
Interlayer-spacing dependence L7
Intermetallic compounds 207
Invar alloys 107
Ising anisotropy L7
Ising model 83
Ising system 221
Isomer shift 375
Itinerant magnetism 107

Kerr effect 141, 301
Kerr rotation 12
Lattice constant 365

Magnetic excitations 339
Magnetic fluids 183
Magnetic interactions L7, 183, 254
Magnetic moment 339
Magnetic noise 101
Magnetic order
– long-range L7, 12
– short-range 17
Magnetic ordering
– multilayers 301, 321
Magnetic phase diagrams 107
Magnetic structure
– noncollinear 54
Magnetization L7, 24, 101, 160, 296, 365
– composition dependent 201
– concentration dependent 12
– deposition-angle dependent 249

– distribution 213
– high-field 96
– saturation 207, 355
– spontaneous 351
– temperature dependent 12, 37, 54
– thickness dependent 249
Magneto-optical recording 271
Magneto-optics 141
Magnetoresistance 24
– anisotropy 175
– giant 165, 175, 296
Magnetostatic interactions 263
Mean-field approximation 37, 71, 83
Metamagnetism 355
Metastable phase 107
Microstructure 175
Mictomagnetism 193
Molecular beam epitaxy 301
Molecular field theory 221
Monte Carlo method 183
Mössbauer effect 207
Mössbauer spectroscopy 375
Multilayers L1, L7, 24, 165

Nanocrystalline alloys 54
Néel temperature 355, 369
Neutron diffraction 29, 355
Neutron scattering
– diffuse 339
– inelastic 71, 339
NMR 160, 351

Oxygen vacancies 37

Particles
– clusters 133
– secondary 183
– single-domain 254
– size 183, 365
Permanent magnets 328
Permeability 101
Phase separation 66
Polydispersity 66
Pressure effect 201

Quadrupole splitting 127, 375
Quantum tunneling 133
Quantum well L1, 321

Radiothermal synthesis 365
Rare earth
– compounds 29, 96
– paramagnets 333
Rare earth–transition metal compounds 71
Re-entrant ferromagnetism 193
Remanence 279
Resistivity 24, 175, 296, 339
– electrical 107
– temperature dependent 37
Resonance
– ferromagnetic L291
– lineshape L291
Rheology 279

Sandwiches 17, 160
Semiconductors
– ferromagnetic 351
Specific heat 339
– low-temperature 127
Spectrometer 119
Spin correlations 369
Spin density
– valence electron 96
Spin glass 59
– re-entrant 107
Spin reorientation transitions 71
Spin waves
– instability L291
Spin-flop phase 119
Spin-orbit interaction 245
Sputtering
– rf 175
SQUID 355
Stiffness constant 54
Structure
– columnar 17
– modulated 29
Substrate interaction 213
Superconductors 339
Superexchange 37
Superparamagnetism 59
Susceptibility 339
– dc 83
– high-field 54
– initial 231, 249
– linear 59
– nonlinear 59
– rf 351
– temperature dependent 59, 127, 193
Switching field 263, 279

Texture 12
Thickness dependence
– oscillatory L1
Thin films 141, 213, 271, 296
– obliquely deposited 249
– sputtered 12, 175
– trilayer 301
Torque magnetometry 333

Volume effect 201

X-ray diffraction 12
X-ray scattering 165

YIG films 37, L291